

OLED-TX004



Liftable Desktop OLED Display

OLED Self-luminous Technology

With OLED self-luminous technology, it offers extremely high contrast ratio, deep black performance and precise color reproduction. Whether it's handling design drafts, conducting daily office work, or enjoying movies and entertainment, every frame of the picture is vivid and the details are fully displayed.

Free adjustment

Unlike traditional displays, the unique lifting structure of the Liftable Desktop OLED Display enables you to easily adjust the screen height and angle, allowing you to find the most suitable viewing angle.

Wide viewing Angle

With 178° wide viewing Angle technology, no matter which Angle you view it from, you can present a clear and true picture effect, so that there are no dead corners for beauty and always maintain the best visual experience.

120% Wide Color Gamut

Equipped with 120% wide color gamut technology, it can accurately restore real world colors.

Ultra Slim Body

Ultra-thin transparent design and virtual display integration, enhance the sense of technology and information transfer efficiency.

Touch Screen Upgrade

The screen can be upgraded to become a ten touch points Pro-Cap touch screen, create buttons and multiple playlists to make the screen get interactive

Stage Speed Refresh Rate

It has a fast refresh rate to ensure smooth picture without delay, and is equipped with healthy eye care technology to reduce blue light and screen flicker, bringing users a comfortable visual experience, suitable for long-term use.



Plug and Play



Steel Enclosure



Free adjustment



Android Media Player



178° Wide Viewing Angle



Transparent display



High contrast



10 points Pro Cap touch

Product Features



High Transparency

With a 43% transparency ratio, the display allows natural light to penetrate through it seamlessly, resulting in a smooth integration of digital content with the real-world environment around it. This feature not only boosts the viewing experience but also maintains the original atmosphere and visual appeal of the surrounding space.



Minimalist aesthetics

The Liftable Desktop OLED Display features a slim bezel and a metallic body, presenting a simple yet technologically advanced appearance. Whether in a home office or an enterprise meeting room, it can seamlessly blend in and become the visual highlight of the desktop.



Protective Tempered Glass

Touching a display directly can cause damage or scratches. The tempered glass in front protects the product from such external impacts and its anti-shatter glass is designed to minimize customers' injuries.



IPS panel

With a 178° ultra-wide viewing angle IPS panel, no matter from which angle you view it, the picture quality remains excellent, eliminating color bias and brightness reduction.

CONNECTIVITY

- 1 ON/OFF
- 2 DP
- 3 USB
- 4 HDMI
- 5 RS232
- 6 RJ45



Specifications

Model			OLED-TX004
Panel	Display Size(inch)		30"
	Backlit Type		OLED
	Resolution		1366768
	Active Display Area(mm)		664.29(H) x373.48(V)
	Aspect Ratio		16:09
	Brightness(cd/m2)		200-600cd/m² (Auto Adjust)
	Contrast Ratio(Typ.)		135000:1
	View ing Angle(H/V)		178/178
	Color Depth		10bit (R), 1.07 Billion Colors
	Response Time(G-to-G)		1ms
	Use Life (typ.)		30,000 Hours
	Transparency		43%
Sound	Loud Speaker		10W, 8Ω
Pow er	Type		Internal
	Pow er Supply		AC 100 - 240 V~ (+/- 10 %),50/60 Hz
	Pow er Consumption	Max[W/h]	80W
		Sleep mode	less than 0.5W
		Off mode	less than 0.5W
Mechanical Spec	Protection Glass		4mm
	material		Glass + sheet metal
	colour		White (customizable)
	Dimensions		686.1mm×152.4mm×534mm
	Stand Type		Floor-standing
Environmental	Operating Temperature		0°C ~ 40°C
	Storage Temperature		-20°C ~ 65°C
	Operating Humidity		10% ~80 %
	Storage Humidity		10% ~80 %
Monitor Control Board	Chipset		TX336
	OSD language		Simplified Chinese, Traditional Chinese, English, French,German, Italian, Spanish, Portuguese, Japanese,Korean(Optional)
	Support signal		HDMI/Line synchronization range/30-80KHZ
	Pow er input		+24V
	Drive-screen voltage		Drive-screen voltage
	Key control		MENU,POWER, SOURCE,LEFT,RIGHT,UP,DOWN
	Key function		Pow er sw itch, menu, volume +, volume -, channel +, channel -, input channel selection, (full function remote control)
	I/O		HDMI IN *1, USB 2.0 * 1, RS232 (RJ45)

Screenage

PEOPLE WHO PRODUCE RESULTS. THAT'S US!



FACTORY



EXHIBITION HALL



WAREHOUSE

COMPANY PROFILE

- Company Name: Screenage Technology
- Established in **2008**
- Focus area: Commercial LCD Display Product Development
- 10-Year Professional Manufacturer in Shenzhen, China
- Factory Total Area: **3000m²**
- Output: **100,000Pcs/Year**
- Product Range: Digital Signage, LCD Video Wall, Floor Standing Kiosk, Industrial LCD Monitor, All-in-one PC and LCD Interactive Whiteboard.
- Main Market: North America, Western Europe, Mid East, Eastern Europe, South America, Africa
- Certificate: **ISO9001, CE, EMC, RoHS**

Have questions?

We have answers!

Get answers about Pricing, Specifications, Installation, and more

CONTACT US NOW!



E-mail: info@screenage.com

www.screenage.com